
Backward Meson Electroproduction from the Hall C KaonLT Experiment



22/09/20

- Hall C 6 GeV u-Channel results
- Hall C 12 GeV u-Channel prospects
- Hall C LT separation experiments
- First look at protons from the KaonLT experiment

<u>22</u>/09/20


2 / 29

Future outlook

Previous Backward Angle Work in Hall C

- Backward angle meson electroproduction is a useful experimental tool to study TDAs
- Analysis of Hall C 6 Gev era data observed backward angle ω electroproduction
- For further info, see talk by G. Huber on 21/09/20

Stephen Kay



22/09/20

W.B. Li, et al., Phys. Rev. Lett. 123 (2019) 182501., arXiv: 1910.00464

University of Regina

Hall C u-Channel prospects in the 12 GeV era

- Can we see the backward angle peak seen in ω electroproduction in other channels?
 - Over a broad kinematic range too?
- Measure the *u*-dependence of LT separated cross sections
 - Relevance of Regge-rescattering and TDA mechanisms in JLab 12 GeV kinematics
- Where possible, measure σ_T/σ_L ratio over a wide Q^2 range for W>2~GeV
 - Where does σ_T dominate over σ_L as predicted by the TDA formalism?
- Determine Q^2 dependence of σ_T at fixed x_B
 - $\,\circ\,$ Where does $\sigma_{\mathcal{T}} \propto 1/Q^8$ as predicted by the TDA formalism
- What data do we have available to investigate these issues?
 - Kaon and Pion LT separation experiments

Stephen Kay University of Regina

-29

The Hall C 12 GeV LT Separation Experiments

- Two Hall C 12 GeV experiments focus on determining LT separated cross sections
- E12-09-011 (Spokespeople: T. Horn, G Huber, P. Markowitz)
 - LT separated kaon cross section
 - Will attempt to extract F_K
 - All settings acquired in 2018-2019
- E12-19-006 (Spokespeople: D. Gaskell, T. Horn, G. Huber)
 - LT separated pion cross section
 - F_{π} to high Q^2 (8.5 GeV²)
 - Pion reaction mechanism studies
 - Some settings acquired in 2019
- Wide range of kinematics acquired for LT separation
- As with the 6 GeV data, can also analyse the same data to look for protons
 - Access to backward angle meson electroproduction

Stephen Kay University of Regina

22/09/20

5 / 29

LT Separations in Hall C


• The physical cross section for the electroproduction process is given by -

$$2\pi \frac{d^2\sigma}{dtd\phi} = \epsilon \frac{d\sigma_L}{dt} + \frac{d\sigma_T}{dt} + \sqrt{2\epsilon(\epsilon+1)} \frac{d\sigma_{LT}}{dt} \cos\phi + \epsilon \frac{d\sigma_{TT}}{dt} \cos 2\phi,$$
$$\epsilon = \left(1 + 2\frac{(E_e - E_{e'})^2 + Q^2}{Q^2} \tan^2 \frac{\theta_{e'}}{2}\right)^{-1}$$

• $\epsilon
ightarrow {
m Virtual}$ photon polarisation

- Take measurements at differing values of ϵ
- Lorentz invariant quantities constant at each point
 - Q^2, W, t, u

Stephen Kay



22/09/20

6 / 29

University of Regina

Physics Settings - Acquired

 All physics settings for the kaon (E12-09-011) and 3 PAC days worth of settings for the pion (E12-19-006) already acquired through various beamtime periods in 2018/2019

E _{Beam} /GeV	Q^2/GeV^2	W/GeV	-u _{min}	ϵ
10.6 & 8.2	5.5	3.02	0.1098	0.53/0.18
10.6 & 8.2	4.4	2.74	0.1248	0.72/0.48
10.6 & 8.2	3.0	3.14	0.0058	0.67/0.39
10.6 & 6.2	3.0	2.32	0.1727	0.88/0.57
10.6 & 6.2	2.115	2.95	0.0001	0.79/0.25
4.9 & 3.8	0.5	2.40	-0.0157	0.70/0.45
4.6, 3.7 & 2.8	0.375	2.20	-0.0072	0.781/0.629/0.286
4.6, 3.7 & 2.8	0.425	2.20	-0.0046	0.774/0.617/0.264
3.7	1.45	2.02	0.1525	0.617
4.6	2.12	2.05	0.2293	0.559

Stephen Kay


University of Regina

22/09/20

29

Protons from the KaonLT Data

- Hadron PID is done offline
 - Can also analyse "pion" and "kaon" data to look at protons
- Study backward angle meson production
 - "Knocking a proton out of the proton"



8


22/09/20

Figure - W.Li. PhD Thesis, University of Regina 2017

Stephen Kay University of Regina

- Hall C is designed to measure precision differential cross sections and form factors
- Two advanced, rotatable, high resolution magnetic spectrometers
 - HMS High Momentum Spectrometer
 - SHMS Super High Momentum Spectrometer
- The SHMS was added as part of the 12 GeV upgrade program
 - The SHMS replaced the SOS
- Capable of operating at high rates across a wide range of configurations in angle and momentum


Hall C in the 12 GeV era



Stephen Kay University of Regina

22/09/20 10 / 29


Hall C in the 12 GeV era - KaonLT Experiment



Stephen Kay University of Regina

22/09/20 11 / 29

Hall C in the 12 GeV era - KaonLT Experiment




Stephen Kay University of Regina

22/09/20 12 / 29

SHMS Detector Stack

- SHMS detects hadrons
- HMS detects electrons
- Wide angular and momentum range for each
- SHMS Aero and HGC used for PID
 - Aerogel $\rightarrow K/p$ separation
 - Four different n used
 - HGC $\rightarrow K/\pi$ separation



Direction of motion of particles

13

29

22/09/20

Image Credit - A. Usman University of Regina

Stephen Kay University of Regina

KaonLT Data - First Look

- Conducted a very preliminary examination of the KaonLT data
- A lot of analysis still required to determine critical efficiencies and offsets
- As discussed, hadron PID is done offline
- Want an electron signal in the HMS that is coincident with a proton signal in the SHMS
- Apply a series of cuts to the data
 - Acceptance cuts
 - Electron PID cuts
 - Proton PID cuts
 - Coincidence time cuts
- Calculate missing mass and determine produced meson

•
$$M_{Miss} = \sqrt{(E_e + m_p - E_{e'} - E_{p'})^2 - (\vec{p_e} - \vec{p_{e'}} - \vec{p_{p'}})^2}$$


Stephen Kay

University of Regina

22/09/20 14 / 29

Proton PID - Cherenkov Cuts

- Expect protons to not leave a signal in either Cherenkov detector
- Cut on $< 0.5 \ NPE$ in each Cherenkov




Aerogel vs HGC NPESum - all events before cuts

Stephen Kay

University of Regina

Proton PID - Cointime

- Select prompt peak in time spectrum
- Select a low and high random window to estimate background from random coincidences
- $t_{coin} = t_{HMS} t_{SHMS}$



Proton CT vs β - All events after cuts

Stephen Kay

University of Regina


22/09/20

16

29

Proton PID - RF Time

- For some runs, can utilise RF timing signal from accelerator to identify proton events
- Take difference between RF signal and hodoscope start time
- Distinct peak for events that pass other proton PID cuts



22/09/20

29

17

RFCutDist - No RF or PID Cut applied


Stephen Ka<u>y</u>

University of Regina

Proton PID - RF Time

Stephen Kay

- For some runs, can utilise RF timing signal from accelerator to identify proton events
- Take difference between RF signal and hodoscope start time
- Distinct peak for events that pass other proton PID cuts



22/09/20

18


29

University of Regina

Proton RFCutDist - No RF Cut applied

Missing Mass Spectra- Kaon Leakthrough

• $Q^2 = 2.115, W = 2.95, \epsilon = 0.79$, central setting



22/09/20

19

29

MM_p - BGSub events after cuts


Stephen Kay

University of Regina

Missing Mass Spectra - ϵ Dependence

• $Q^2 = 3.0, W = 2.32, \epsilon = 0.88$, central setting

MMp - BGSub events after cuts



Stephen Kay


University of Regina

22/09/20 20

29

Missing Mass Spectra - ϵ Dependence

• $Q^2 = 3.0, W = 2.32, \epsilon = 0.57$, central setting



MMp - BGSub events after cuts

Stephen Kay


University of Regina

22/09/20 21 / 29

Missing Mass Spectra - ϕ Dependence

• $Q^2 = 3.0, W = 3.14, \epsilon = 0.67$, left setting

MM_p - BGSub events after cuts



Stephen Kay

University of Regina


22/09/20 22

29

Missing Mass Spectra - ϕ Dependence

• $Q^2 = 3.0, W = 3.14, \epsilon = 0.67$, right setting

MM_p - BGSub events after cuts



Stephen Kay

University of Regina

22/09/20 23 / 29


ω to ϕ Ratios

Stephen Kay

• $Q^2 = 3.0, W = 2.32, \epsilon = 0.88$, central setting

University of Regina

 $\bullet\,$ Apply some very rough fits to the data to estimate $\omega/\phi\,$ peak ratios



22/09/20

24

29

MMp - BGSub events after cuts


ω to ϕ Ratios

Stephen Kay

• $Q^2 = 3.0, W = 2.32, \epsilon = 0.88$, central setting

University of Regina

 $\bullet\,$ Apply some very rough fits to the data to estimate $\omega/\phi\,$ peak ratios



22/09/20

25

29

MMp - BGSub events after cuts

ω to ϕ Ratios

Stephen Kay

- ${\circ}\,$ Many settings need further work to cleanly isolate ϕ from background
 - Statistics available on some settings also a limiting factor
- $\bullet\,$ Can get a rough estimate of ω to ϕ ratio for some kinematics however
 - Quoting for central setting only

University of Regina

Q^2/GeV^2	W/GeV	ω/ϕ high ϵ	$\omega/\phi~{ m low}~\epsilon$
0.5	2.4	2.93	2.69
3.0	2.32	11.9	3.34
3.0	3.14	4.47	1.81

22/09/20

26

29

Outlook - Physics Settings To Be Acquired

- Many physics settings still need to be acquired for the pion
- Long and complex experimental run
- Cross section estimations already produced and published for many of these settings by B. Pire, K. Semenov-Tian-Shansky and L. Szymanowski

E_{Beam}/GeV	Q^2/GeV^2	W/GeV	-u _{min}	ϵ
11.0/8.8/6.7	1.60	3.00	-0.0157	0.817/0.689/0.408
11.0/8.8/8.0	2.45	3.20	-0.0090	0.709/0.505/0.383
11/9.9/8.8/8.0	3.85	3.07	0.0368	0.666/0.572/0.436/0.301
11.0/9.9/8.0	5.00	2.95	0.1029	0.633/0.530/0.238
11.0/9.9/9.2	6.00	3.19	0.0949	0.452/0.304/0.184
11.0/9.2	8.50	2.79	0.3709	0.430/0.156

B. Pire, K. Semenov-Tian-Shansky and L. Szymanowski, Phys. Rev. D 91 (2015), 094006

Stephen Kay University of Regina

22/09/20

27

29

Outlook - Upcoming Beamtime

Many settings for E12-19-006 scheduled for Jun-Oct 2021

E_{Beam}/GeV	Q^2/GeV^2	W/GeV	-u _{min}	ϵ
8.0	2.45	3.20	-0.0090	0.383
8.0	3.85	3.07	0.0368	0.301
9.9	3.85	3.07	0.0368	0.572
8.0	5.00	2.95	0.1029	0.238
9.9	5.00	2.95	0.1029	0.5305
9.2	6.00	3.19	0.0949	0.184
9.9	6.00	3.19	0.0949	0.304
6.0	3.85	2.02	0.5471	0.582
8.0	6.00	2.40	0.4259	0.449
9.2	8.5	2.79	0.3709	0.156

Stephen Kay

University of Regina

Summary

- Numerous kinematics from Kaon and Pion LT acquired
- $\bullet\,$ Proton events identifiable in the data, clear ω and ϕ peaks visible in the data
 - $\,\circ\,\,\omega$ in particular looks very promising
- Many steps to go till a full LT separation of the data is possible
- Early indications that ω to ϕ ratio may change quite significantly between high and low ϵ
 - A lot of work on estimating background needed however
- Lots of data from a wide range of kinematic points to be acquired in the coming few years

Thanks for listening, any questions?





S.J.D. Kay, D. Gaskell, T. Horn, G.M. Huber, P. Markowitz, V. Berdnikov, W.B. Li, V. Kumar , R. Trotta, A. Usman

This research was supported by the Natural Sciences and Engineering Research Council of Canada (NSERC), FRN: SAPIN-2016-00031, and the National Science Foundation (NSF), PHY1714133 and PHY2012430

Backup Zone

Physics Settings - Acquired

 All physics settings for the kaon (E12-09-011) and 3 PAC days worth of settings for the pion (E12-19-006) already acquired through various beamtime periods in 2018/2019


E_{Beam}/GeV	Q^2/GeV^2	W/GeV	x	ϵ
10.6 & 8.2	5.5	3.02	0.40	0.53/0.18
10.6 & 8.2	4.4	2.74	0.40	0.72/0.48
10.6 & 8.2	3.0	3.14	0.25	0.67/0.39
10.6 & 6.2	3.0	2.32	0.40	0.88/0.57
10.6 & 6.2	2.115	2.95	0.21	0.79/0.25
4.9 & 3.8	0.5	2.40	0.09	0.70/0.45
4.6, 3.7 & 2.8	0.38	2.20	0.087	0.781/0.629/0.286

Stephen Kay University of Regina

-29

Acceptance Cuts

Stephen Kay



University of Regina


22/09/20

33 / 29

Electron PID Cuts

- Want an electron in HMS
- Cut on Cherenkov NPE and normalised energy in the HMS 0 calorimeter

$$E_{Norm} = \frac{E_{Cal}}{p}$$



HMS Calorimeter E_{TotNorm} vs HMS Cherenkov NPE - all events before cuts

Stephen Kay

University of Regina

22/09/20

34


29

SHMS HGC - NPE Distribution

Stephen Kay

- Region of low efficiency in centre of SHMS HGC
- Need to account for this in further analysis

University of Regina



22/09/20


35

29

NPE vs X vs Y

Measuring $\frac{d\sigma_L}{dt}$ at JLab

- Rosenbluth separation required to isolate σ_L
 - Fix W, Q^2 and -t, measure cross section at two beam energies
 - $\circ\,$ Carry out simultaneous fit at two different ϵ values to determine interference terms
- Careful control of point-to-point systematics crucial, 1/Δε error amplification in σ_L
- Spectrometer acceptance, kinematics and efficiencies must all be carefully studied and understood



<u>22/09/20</u>

36

T. Horn, et al., PRL 97(2006) 192001

University of Regina

Physics Settings - To Be Acquired Reaction Mechanism Points

 As well as form factor points shown earlier, also have reaction mechanism data points

E_{Beam}/GeV	Q^2/GeV^2	W/GeV	x	ϵ
6.7	1.46	2.02	0.312	0.880
11.0/6.7	2.73	2.63	0.311	0.845/0.513
8.8	2.12	2.05	0.390	0.907
11.0/6.7	3.85	2.62	0.392	0.799/0.360
11.0/6.0	3.85	2.02	0.546	0.898/0.582
11.0/8.0	6.0	2.40	0.551	0.738/0.449
11.0/9.2	8.50	2.79	0.552	0.430/0.156


22/09/20

37 / 29

University of Regina

Stephen Kay

Jefferson Lab





Stephen Kay University of Regina

22/09/20

38 / 29

RF Timing - Overview

- Take difference between RF time and hodoscope start time
- Need to add an offset to this difference, then take modulo
 - $\circ~$ Take mod 4.008 \rightarrow from bunch spacing for the run set shown
 - Offset varies by run and by beam conditions, a value between 0 and 4.008
- Value plotted as time difference is -

 $fmod(P.hod.fpHitsTime[0] - T.coin.pRF_tdcTime + offset, 4.008)$

- The offset needed can shift quite a bit
 - For example, MCC switching the beam bucket we get causes a shift


22/09/20

39 / 29

• Applying the same offset value and not accounting for this leads to an odd double peaked plot

RF Timing Example

- RF time differences, after common cuts, shown in blue
- Events with pion PID cuts applied shown in red
- Without accounting for the change in beam bucket, clearly see the weird double peaking



mod((pRFTime - pHodFpTime + 801), 4.008)