

4

3

2

1





REVISION HISTORY

REV	DESCRIPTION	DATE
B	Changed 3/8-16 Hole Depth and Added note to "Not Break Thru"	6/9/2021

HOLE TABLE


HOLE	XDIM	YDIM	DESCRIPTION
A1	.000	.000	Ø.332 THRU
A2	.000	3.000	
A3	.000	6.000	
A4	.000	9.000	
A5	.000	12.000	
A6	.000	15.000	
A7	.000	18.000	
A8	.000	21.000	
A9	.000	24.000	
B1	-7.648	4.227	3/8-16 UNC - 2B ▽ .625 Do Not Break Thru
B2	-7.648	8.977	
B3	-7.648	13.727	
B4	-7.648	18.477	
B5	-7.648	23.227	

5/16-24 UNF - 2B ▽ .625 X7



Note: All Holes are Drilled Normal to their Respective Surface

VIEW B-B SCALE 1 / 5



5/16-24 UNF - 2B ▽ .625 - X7

DRAWN Gary Swift TUNL	7/15/2019	SOLID HGC		
1-919-660-2668				
Material: Alum 6061-T651		TITLE Proto Assy Shell Top Plate		
Unless Otherwise Specified Tolerances are: .xx = ± .01 Angles = ± 0.1' .xxx = ± .005	Break Edges: 0.010 Chamfer Holes: .015	SIZE B	DWG NO SP-10-01-13B	REV B
Dim in Inches		SCALE 1 / 5	SHEET 1 OF 1	

4

3

2

1