

## References

- [1] National Academies of Sciences Engineering and Medicine. *An Assessment of U.S.-Based Electron-Ion Collider Science*. The National Academies Press, Washington, DC, 2018.
- [2] A. Accardi et al. Electron ion collider: The next qcd frontier - understanding the glue that binds us all, 2014.
- [3] A.V. Belitsky and A.V. Radyushkin. Unraveling hadron structure with generalized parton distributions. *Physics Reports*, 418(1-6):1–387, oct 2005.
- [4] M. Diehl. Generalized parton distributions. *Physics Reports*, 388(2-4):41–277, dec 2003.
- [5] K. Goeke, M.V. Polyakov, and M. Vanderhaeghen. Hard exclusive reactions and the structure of hadrons. *Progress in Particle and Nuclear Physics*, 47(2):401–515, jan 2001.
- [6] Marija Cuic, Kresimir Kumericki, and Andreas Schafer. Separation of quark flavors using dvcs data, 2020.
- [7] L. L. Frankfurt, M. V. Polyakov, M. Strikman, and M. Vanderhaeghen. Hard exclusive electroproduction of decuplet baryons in the large  $N_c$  limit. *Phys. Rev. Lett.*, 84:2589–2592, Mar 2000.
- [8] Matthias Burkardt. Impact parameter dependent parton distributions and off-forward parton distributions for  $\vec{\zeta} \rightarrow 0$ . *Phys. Rev. D*, 62:071503, Sep 2000.
- [9] Xiangdong Ji. Gauge-invariant decomposition of nucleon spin. *Phys. Rev. Lett.*, 78:610–613, Jan 1997.
- [10] K. Goeke, M.V. Polyakov, and M. Vanderhaeghen. Hard exclusive reactions and the structure of hadrons. *Progress in Particle and Nuclear Physics*, 47(2):401–515, Jan 2001.
- [11] Tanja Horn and Craig D Roberts. The pion: an enigma within the standard model. *Journal of Physics G: Nuclear and Particle Physics*, 43(7):073001, May 2016.
- [12] L. L. Frankfurt, P. V. Pobylitsa, M. V. Polyakov, and M. Strikman. Hard exclusive pseudoscalar meson electroproduction and spin structure of the nucleon. *Phys. Rev. D*, 60:014010, Jun 1999.
- [13] A. V. Belitsky. Renormalons in exclusive meson electroproduction. *AIP Conference Proceedings*, 2004.
- [14] G.M. Huber et al. Charged pion form factor between  $Q^2 = 0.60$  and  $2.45$   $\text{GeV}^2$ . ii. determination of, and results for, the pion form factor. *Phys. Rev. C*, 78:045203, Oct 2008.

- [15] G.M. Huber, D. Gaskell, T. Horn, et al. Measurement of the Charged Pion Form Factor to High  $Q^2$ , JLab Experiment E12-06-101 (E12-19-006). [https://www.jlab.org/exp\\_prog/proposals/19/E12-19-006.pdf](https://www.jlab.org/exp_prog/proposals/19/E12-19-006.pdf), 2006, 2010, 2019.
- [16] T. Horn, G.M. Huber, P. Markowitz, et al. Studies of the L/T Separated Kaon Electroproduction Cross Sections from 5-11 GeV, Jefferson Lab 12 GeV Experiment E12-09-011. [https://www.jlab.org/exp\\_prog/proposals/09/PR12-09-011.pdf](https://www.jlab.org/exp_prog/proposals/09/PR12-09-011.pdf), 2009.
- [17] C. E. Carlson and Joseph Milana. Difficulty in determining the pion form factor at high  $q^2$ . *Phys. Rev. Lett.*, 65:1717–1720, Oct 1990.
- [18] S. Chekanov et al. Leading neutron energy and  $p_T$  distributions in deep inelastic scattering and photoproduction at HERA. *Nucl. Phys. B*, 776:1–37, 2007.
- [19] S. R. Amendolia et al. A Measurement of the Pion Charge Radius. *Phys. Lett. B*, 146:116–120, 1984.
- [20] S. R. Amendolia et al. A Measurement of the Space - Like Pion Electromagnetic Form-Factor. *Nucl. Phys. B*, 277:168, 1986.
- [21] H. Ackermann, T. Azemoon, W. Gabriel, H. D. Mertiens, H. D. Reich, G. Specht, F. Janata, and D. Schmidt. Determination of the Longitudinal and the Transverse Part in  $\pi^+$  Electroproduction. *Nucl. Phys. B*, 137:294–300, 1978.
- [22] P. Brauel, T. Canzler, D. Cords, R. Felst, Guenter Grindhammer, M. Helm, W. D. Kollmann, H. Krehbiel, and M. Schadlich. Electroproduction of  $\pi^+n$ ,  $\pi^-p$  and  $K^+\Lambda$ ,  $K^+\Sigma^0$  Final States Above the Resonance Region. *Z. Phys. C*, 3:101, 1979.
- [23] J. Volmer et al. Measurement of the Charged Pion Electromagnetic Form-Factor. *Phys. Rev. Lett.*, 86:1713–1716, 2001.
- [24] T. Horn et al. Determination of the Pion Charge Form Factor at  $Q^2 = 1.60$  and  $2.45 \text{ GeV}/c^2$ . *Phys. Rev. Lett.*, 97:192001, 2006.
- [25] Silvano Simula and Ludovico Vittorio. Dispersive analysis of the experimental data on the electromagnetic form factor of charged pions at spacelike momenta. *Phys. Rev. D*, 108(9):094013, 2023.
- [26] L. Albino, I.M. Higuera-Angulo, K. Raya, and A. Bashir. Pseudoscalar mesons: Light front wave functions, gpdfs, and pdfs. *Physical Review D*, 106(3), August 2022.
- [27] V. A. Nesterenko and A. V. Radyushkin. Sum Rules and Pion Form-Factor in QCD. *Phys. Lett. B*, 115:410, 1982.

- [28] L. Chang, I.C. Cloet, C.D. Roberts, S.M. Schmidt, and P.C. Tandy. Pion electromagnetic form factor at spacelike momenta. *Phys. Rev. Lett.*, 111(14):141802, 2013.
- [29] A. P. Bakulev, K. Passek-Kumericki, W. Schroers, and N. G. Stefanis. Pion form-factor in QCD: From nonlocal condensates to NLO analytic perturbation theory. *Phys. Rev. D*, 70:033014, 2004. [Erratum: *Phys.Rev.D* 70, 079906 (2004)].
- [30] B. Pire, K. Semenov-Tian-Shansky, and L. Szymanowski. Transition distribution amplitudes and hard exclusive reactions with baryon number transfer. *Physics Reports*, 940:1121, December 2021.
- [31] John Arrington et al. The Solenoidal Large Intensity Device (SoLID) for JLab 12 GeV. *Journal of Physics G: Nuclear and Particle Physics*, 50:110501 1–57, 2023.
- [32] Alessandro Bacchetta, Umberto D’Alesio, Markus Diehl, and C. Andy Miller. Single-spin asymmetries: The trento conventions. *Phys. Rev. D*, 70:117504, Dec 2004.
- [33] L. N. Hand. Experimental investigation of pion electroproduction. *Phys. Rev.*, 129:1834–1846, Feb 1963.
- [34] E.W. Wesstein. Sphere Point Picking. <http://mathworld.wolfram.com/SpherePointPicking.html>.
- [35] Brun, R. and Rademakers, E. ROOT - An Object Oriented Data Analysis Framework. <http://root.cern.ch/>.
- [36] Jefferson Lab Hall C Collaboration. SIMC. [https://hallcweb.jlab.org/wiki/index.php/SIMC\\_Monte\\_Carlo](https://hallcweb.jlab.org/wiki/index.php/SIMC_Monte_Carlo).
- [37] Tae Keun Choi, Kook Jin Kong, and Byung Geel Yu. Pion and proton form factors in the regge description of electroproduction  $p(e, e'\pi^+)n$ . *Journal of the Korean Physical Society*, 67(7):1089–1094, Oct 2015.
- [38] S. Basnet et al. Exclusive  $\pi^+$  electroproduction off the proton from low to high  $-t$ . *Phys. Rev. C*, 100:065204, Dec 2019.
- [39] Tom Vrancx and Jan Ryckebusch. Charged-pion electroproduction above the resonance region. *Phys. Rev. C*, 89:025203, Feb 2014.
- [40] Tom Vrancx, Jan Ryckebusch, and Jannes Nys.  $K^+\Lambda$  electroproduction above the resonance region. *Phys. Rev. C*, 89:065202, Jun 2014.
- [41] Nys, J. and Ryckebusch, J. StrangeCalc. <http://rprmodel.ugent.be/calc/>.

- [42] H. P. Blok et al. Charged pion form factor between  $Q^2 = 0.60$  and  $2.45$   $\text{gev}^2$ . i. measurements of the cross section for the  $^1\text{H}(e, e' \pi^+)n$  reaction. *Phys. Rev. C*, 78:045202, Oct 2008.
- [43] Goloskokov, S.V. and Kroll, P. Private Communications, 2009–2017.
- [44] The SoLID Collaboration. SoLID (Solenoidal Large Intensity Device) Preliminary Conceptual Design Report. [https://hallaweb.jlab.org/12GeV/SoLID/files/solid\\_precdr.pdf](https://hallaweb.jlab.org/12GeV/SoLID/files/solid_precdr.pdf).
- [45] Huber, G. M. and Ahmed, Z. and Ye, Z. and others. Measurement of Deep Exclusive  $\pi^-$  Production using a Transversely polarized  $^3\text{He}$  Target and the SoLID Spectrometer, Jefferson Lab Experiment E12-10-006B. <https://misportal.jlab.org/pacProposals/proposals/1317/attachments/99852/Proposal.pdf>.
- [46] A. Airapetian et al. Single-spin azimuthal asymmetry in exclusive electroproduction of  $\pi^+$  mesons on transversely polarized protons. *Phys. Lett. B*, 682:345–350, 2010.
- [47] M. Diehl and S. Sapeta. On the analysis of lepton scattering on longitudinally or transversely polarized protons. *The European Physical Journal C*, 41(4):515533, June 2005.
- [48] S. V. Goloskokov and P. Kroll. An Attempt to understand exclusive  $\pi^+$  electroproduction. *Eur. Phys. J. C*, 65:137–151, 2010.
- [49] R. Schiavilla, V.R. Pandharipande, and R.B. Wiringa. Momentum distributions in  $A = 3$  and  $4$  nuclei. *Nuclear Physics A*, 449(2):219 – 242, 1986.
- [50] Glenn Rowe, Martin Salomon, and Rubin H. Landau. Energy-dependent phase shift analysis of pion-nucleon scattering below 400 mev. *Phys. Rev. C*, 18:584–589, Jul 1978.
- [51] A. Shinozaki. *Total Cross-Section for the  $(\gamma, \pi^+ \pi^-)$  process on  $^2\text{H}$  and  $^{12}\text{C}$  from 550-1105 MeV*. PhD thesis, University of Regina, 2002.
- [52] K. G. Dedrick. Kinematics of high-energy particles. *Rev. Mod. Phys.*, 34:429–442, Jul 1962.
- [53] Gary L. Catchen, Javed Husain, and Richard N. Zare. Scattering kinematics: Transformation of differential cross sections between two moving frames. *The Journal of Chemical Physics*, 69(4):1737–1741, 1978.
- [54] Williams, W. S. C. *An introduction to elementary particles*. Academic Press, 1971.
- [55] Seryi, A. Electron-Ion Collider accelerator development. <https://indico.cern.ch/event/1072579/contributions/4796856/attachments/2456676/4210776/CAP-EIC-June-7-2022-Seryi-r2.pdf>.

- [56] D.P. Anderle et al. Electron-ion collider in china. *Frontiers of Physics*, 16(6), Jun 2021.
- [57] R. Abdul Khalek et al. Science requirements and detector concepts for the electron-ion collider: Eic yellow report. *Nuclear Physics A*, 1026:122447, 2022.
- [58] A. Bylinkin et al. Detector requirements and simulation results for the eic exclusive, diffractive and tagging physics program using the ecce detector concept. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 1052:168238, 2023.
- [59] M. Guidal, J.-M. Laget, and M. Vanderhaeghen. Pion and kaon photoproduction at high energies: forward and intermediate angles. *Nuclear Physics A*, 627(4):645–678, 1997.
- [60] M. Vanderhaeghen, M. Guidal, and J.-M. Laget. Regge description of charged pseudoscalar meson electroproduction above the resonance region. *Phys. Rev. C*, 57:1454–1457, Mar 1998.
- [61] M. Guidal, J.-M. Laget, and M. Vanderhaeghen. Electroproduction of strangeness above the resonance region. *Phys. Rev. C*, 61:025204, Jan 2000.
- [62] M. Guidal, J.-M. Laget, and M. Vanderhaeghen. Exclusive electromagnetic production of strangeness on the nucleon: Regge analysis of recent data. *Phys. Rev. C*, 68:058201, Nov 2003.
- [63] A. Accardi et al. Strong interaction physics at the luminosity frontier with 22 gev electrons at jefferson lab, 2023.
- [64] Z. Ahmed, R.S. Evans, I. Goel, G.M. Huber, S.J.D. Kay, W.B. Li, L. Preet, and A. Usman. DEMPgen version 1.0.0 release. <https://github.com/JeffersonLab/DEMPgen/releases/tag/v1.0.0>, 2023.
- [65] Duane Byer et al. Sidis-rc evgen: a monte-carlo event generator of semi-inclusive deep inelastic scattering with the lowest-order qed radiative corrections, 2023.
- [66] Love Preet. Understanding hadronic mass through light meson structure at eic, 2023.
- [67] J. L. Friar, B. F. Gibson, G. L. Payne, A. M. Bernstein, and T. E. Chupp. Neutron polarization in polarized  $^3\text{He}$  targets. *Phys. Rev. C*, 42:2310–2314, Dec 1990.
- [68] F. Bissey, A. W. Thomas, and I. R. Afnan. Structure functions for the three-nucleon system. *Phys. Rev. C*, 64:024004, Jul 2001.